

Single Field Analysis
 Name: ID 1953 0915 B1A9 7114 511E CCSP
 Central 24-2 Threshold Test



Eye Left
 DOB:

Fixation Monitor: Gaze/Blind Spot
 Fixation Target: Central
 Fixation Losses: 0/11
 False POS Errors: 3%
 False NEG Errors: 0%
 Test Duration: 03:59


Stimulus III: White
 Background: 31.5 ASB
 Strategy: SITA-Fast

Pupil Diameter: 4.9 mm
 Visual Acuity
 RX: -1.25 DS DC X
 Date: 02-26-2010
 Time: 2:25 PM
 Age: 56

Fovea: 34 dB



GHT
 Outside Normal Limits
 VFI: 72%
 MD: +8.97 dB P < 0.5%
 PSD: 8.73 dB P < 0.5%



Jeffrey Sedgwick, MD
 44121 Harry Bird Highway, ste 175
 Ashburn, Va 20147
 703-723-1981

Single Field Analysis
 Name: ID 1953 0915 B1A9 7114 511E CCSP
 Central 24-2 Threshold Test



Eye Right
 DOB:

Fixation Monitor: Gaze/Blind Spot
 Fixation Target: Central
 Fixation Losses: 0/11
 False POS Errors: 0%
 False NEG Errors: 9%
 Test Duration: 03:48


Stimulus III: White
 Background: 31.5 ASB
 Strategy: SITA-Fast

Pupil Diameter: 4.9 mm
 Visual Acuity
 RX: -0.75 DS DC X
 Date: 02-26-2010
 Time: 2:19 PM
 Age: 56

Fovea: 25 dB



GHT
 Outside Normal Limits
 VFI: 60%
 MD: -13.19 dB P < 0.5%
 PSD: 11.09 dB P < 0.5%



Jeffrey Sedgwick, MD
 44121 Harry Bird Highway, ste 175
 Ashburn, Va 20147
 703-723-1981